



Care Graphic Machinery Ltd  
Green Lane Business Park, Warren Road,  
WF7 6EL Featherstone, West Yorkshire

Phone: +44(0)1977 695500  
Email: sales@caregraphic.co.uk

### Sheetfed 10 Colour

Reference	Machine Description
8799	<b>2004 Heidelberg SM 102 10P</b> (720 x 1020 mm) • Nonstop Pre-Set Plus Feeder & Delivery • CutStar Plus 65 (with all upgrades) • Autoplate • Alcolor with Vario • CP2000 / Axis Control • D...

### Sheetfed 8 Colour

Reference	Machine Description
8797	<b>1996 Heidelberg SM 102 8P</b> (720 x 1020 mm) Circa 218 mill impressions Perfecting 4/4 8/0 CP Tronic, CPC 1.04 , Semi Autoplate, Grafix Powder Spray, Technotrans Refrigeration, Alcolor...
8621	<b>2012 Heidelberg XL 106 8P</b> (750 x 1060 mm) Eight Colour Convertible 8/0 or 4/4 Perfecting Offset Press Max Sheet Size 740 x 1060 mm Cutstar Reel to Sheet feeder Prinect Print Center Wallscr...
8686	<b>1999 Komori L 840 P</b> (720 x 1030 mm) Eight colour offset press, Max sheet size: 720 x 1020mm, Convertible 8/0 or 4/4 perfecting, Komori Streamfeeder, Auto plate blanket and imp cyl...

### Sheetfed 6 Colour

Reference	Machine Description
8787	<b>2002 Heidelberg CD 74 6 LX F</b> (530 x 740 mm) Coater, 585 x 740 mm, 15.000 sh/h, Elevated, CP2000 Console, Airstar Central air cabinet, Approx. 153 mi impressions. Feeder: Non-Stop, s...
8612	<b>2002 Heidelberg SM 74 6PH</b> (520 x 740 mm) Maximum sheet size: 520 x 740mm CP2000 124 million impressions Perfecting 3+3 / 6+0 Alcolor dampening Technotrans refrigeration Autoplate Auto...
8628	<b>1997 Heidelberg SM 74 6PH</b> (520 x 740 mm) Max Speed: 15,000 iph Max Sheet Size: 530 x 740 mm Perfecting: 6/0 2/4 Autoplate CPC 1-04 Off Press Controls Lateral, Circumventual, Diagonal Reg...
8117D	<b>2012 KBA -Rapida 75 6</b> (750 x 605 mm) Straight Machine Ergotronic Control Console Techkon SpectroDrive Colour Bar Scanner High Pile Feeder Steel Plate In Feeder Autoplate Alcocontro...
8622	<b>2006 Komori L 640 LX UV</b> (720 x 1030 mm) APC - Autoplate KMS - Komori Management System PQC: control for ink + register Cocking register PDC-S II, Densitometer AMR automatic size and pri...
8383	<b>1990 Roland 606</b> (720 x 1020 mm) Six colour offset press Maximum sheet Size: 530 x 740 mm Steel plate in delivery RCI remote inking Rolandmatic dampening Technotrans Refrigerate...

### Sheetfed 5 Colour

Reference	Machine Description
-----------	---------------------

8761	<b>1997 Heidelberg SM 102 5P</b> (720 x 1020 mm) Maximum Sheet Size: 720 x 1020 mm 178 million impressions CPtronic CPC 104 Alcolor with technotrans Autoplate Steel plate in feeder and d...
8403	<b>2001 Heidelberg SM 52 5</b> (370 x 520 mm) DDS Dampening Laser cut ink Ducts Powder Spray Quick Plate Clamps Availability: immediate
7718	<b>1996 Heidelberg SM 52 5P</b> (370 x 520 mm) Max. Size: 360 x 520 mm 68 Million Impressions Perfecting 2/3 5/0 Stream feeder Electronic Sidelay CPC 104 CP Tronic Alcolor Dampening Sem...
8528D	<b>2003 Heidelberg SM 74 5 PH</b> (520 x 740 mm) CP 2000 Alcolor Preset Auto Blanket Roller Wash Steel Plate Feeder Technotrans Beta d Recirculation Grafix Powder Spray Autoplate Preset Stee...
8611	<b>2012 Heidelberg SX 74 5 H</b> (520 x 740 mm) Maximum sheet size: 53 x 74 cm Prinect Press Center Easy Control (Colour scanning device) Alcolor Vario dampening Technotrans refrigeration Autop...
8373	<b>2011 Heidelberg XL 75 5 LX C</b> (530 x 750 mm) Autoplate XL Prinect Inpress Control Speed 18.000 sheets/hour Prinect Press Center with Wallscreen Preset Plus stream feeder with ramp Double she...
8701	<b>2013 Komori LS 529 LX</b> (5300 x 7500 mm) Autoplate Presets PQC Komorimatic Automatic Washup's Tower Coater Extended Delivery H UV Drying
8790	<b>2009 Komori Spica 529</b> (750 x 530 mm) PQC ink- and Register Remote Control Extern PDC-S II Print Density Control KOMORI Matic Dampening TECHNOTRANS ALPHA.d Refrigeration Unit...
8785	<b>2001 Ryobi 525 HXX + Coater</b> PCS-H off press control centre Overhead lamp PDS-E print density control Ryobimatic dampening Technotrans Alpha recirculatio RPC semi automatic p...
8748	<b>2008 Sakurai 566 SD</b> (660 x 470 mm) 15,000 SPH Maximum Sheet Size: 670 x 560mm Maximum stock thickness 0.04 – 0.6mm Sakurai SCC III Press& Ink Control desk SAPC Autoplate Automatic...
8746	<b>2004 Sakurai 566 SI</b> (660 x 480 mm) Max Sheet Size 660 x 470mm SPC Semi Automatic Plate Change Baldwin Blanket Washers, Super Blue, Sakurai SCC III Computer Control Automatic Ink Ro...

### Sheetfed 4 Colour

Reference	Machine Description
8394	<b>1994 Heidelberg CD 102 V+L</b> (720 x 1020 mm) Maximum Sheet Size: 720 x 1020mm Steel plate Feeder ( New Style Square Feeder) CP Tronic CPC 1.03 Autoplate Diagonal Register Automatic Bla...
8775	<b>2003 Heidelberg CD 74 4 C</b> (530 x 740 mm) CP 2000 Control Center - ALCOLOR VARIO dampening system - Autoplate (semi-automatic plate loader) - Blanket cylinder washing device - Alcosmar...
8757	<b>2003 Heidelberg GTO 52 PM 52 4</b> (360 x 520 mm) CPC 1-04 Maximum Sheet Size 360 x 520mm Stream feeder 2 Feeder Boards Electronic Double Sheet detection DDS Damping Quick plate Clamps Weko Pow...
8795	<b>1999 Heidelberg SM 102 4P</b> (720 x 1020 mm) Size : 720x1020 mm Perfecting : 2/2 4/0 Alcolor...
8759	<b>2002 Heidelberg SM 52 4</b> (370 x 520 mm) Four colour offset press Maximum sheet size 360 x 520mm Heidelberg streamfeeder Suction tape feed table Alcolor dampening Technotrans refrigerate...
8626	<b>2007 Heidelberg SM 52 4</b> (370 x 520 mm) Maximum Sheet Size 360 x 520mm Maximum Sheet thickness up to 0.5mm Stream feeder Electronic sidelay CP 2000 Alcolor Technotrans refrigeration a...

8464D	<b>2000 Heidelberg SM 52 4P</b> (370 x 520 mm) Perfecting 2+2 Maximum Sheet size 360x520mm Plus version 15.000 Sheets per hour Autoplate CP Tronic CPC1.04 Alcolor dampening Automatic rolle...
8788	<b>2006 Heidelberg SM 74 4 H</b> (520 x 740 mm) CP 2000 Press Centre ALCOLOR Dampening TECHNOTRANS Refrigeration AUTOPLATE Semi Automatic plate changer PRESETS Automatic Roller- and Blanket Was...
8796	<b>2000 Heidelberg SM 74 4P</b> (520 x 740 mm) Maximum sheet size: 52 x 74 cm CPC 1-04 CP Tronic 116 million impressions Auto washers Autoplate Alcolor dampening Baldwin refrigeration Low p...
8789	<b>2013 KBA Rapida 105-4 CX</b> (720 x 1050 mm) ERGOTRONIC Ink- and Register Remote control CIP 3 PWHA – Semi automatic plate changer Automatic Size- and Pressure settings VARIDAMP alcohol...
8729	<b>1989 Roland 604 3B</b> (720 x 1020 mm)
8786	<b>1990 Roland 604 3B</b> Steel Plate Feeder Suction Feed Board Radial Front Lays Electronic sidelays Chrome Impression cylinders RCI 2 Remote Register Rolandmatic Tec...
8779	<b>2004 Ryobi 524 GPX</b> Size 36 x 52 cm Ryobimatic Damping Ryobi PCS control Semi-automatic Plate change Automatic ink roller wash Automatic Blanket wash Automatic Pre...
8791	<b>2006 Ryobi 754</b> (740 x 540 mm) 60 cm x 75 cm. PCS-G Console Semi-automatic Plate Change Automatic Blanket / Roller Wash Device Ryobimatic + Technotrans Alpha D Refrigeration Au...

### Sheetfed 2 Colour

Reference	Machine Description
8798	<b>1991 Heidelberg 102 ZP</b> (720 x 1020 mm) Circa 239 mill impressions Equipped with: CP Tronic, CPC 1.03 , Quick Action Plate Clamps, Grafix Powder Spray, Baldwin Refrigeration, Alcolo...
8468D	<b>1995 Heidelberg GTO 52 Z+</b> (360 x 520 mm) Plus version, Alcohol dampening with Royse Space saver recirculation unit, Weko E88 powder spray
8691D	<b>1992 Heidelberg GTO 52 Z+</b> (360 x 520 mm) 2 Feeder Boards Varn Kompac 3 Dampening Powder Spray Quick Plate Clamps 2 Delivery Trolleys Excellent Condition
8561	<b>1991 Heidelberg GTO 52 ZP +</b> (360 x 520 mm) Perfecting 2/0/1/1 Maximum sheet Size 360 x 520mm 2 Feeder Boards Conventional Dampening Powder Spray Quick Plate Clamps Numbering & Perforating...
7966	<b>1999 Heidelberg Quickmaster QM 46</b> (340 x 460 mm) 2 Colour Numbering & Perforating Conventional Dampening 2 Feeder Boards 2 Delivery Trolleys
8669	<b>2001 Heidelberg SM 52 2P</b> (370 x 520 mm) CP Tronic - Register system 425 - Pre-set - Laser cut ink knives - Super Blue transfer jackets - Alcolor dampening - Refrigeration and Recircula...
8670	<b>1997 Heidelberg SM 52 2 P</b> (370 x 520 mm) - CP Tronic - Preset - Chromed impression cylinders - Laser cut ink knives - Perfector 1/1 + 2/0 - Transfer Jackets on transfer cylinders - Alc...
8587D	<b>1986 Heidelberg SM 72 ZP</b> (520 x 720 mm) CPC 102 Alcolor Non stop feeder and delivery Weko Spray Unit High Pile Delivery Bacher Plate Punch
8538D	<b>1998 Ryobi 522 HX</b> Eco 15 Recirculation ACC Ryobimatic Continuous Dampening System Stream Feeder Registrar System

8726	<b>1999 Sakurai 272 EP2</b> Olivermatic dampening system Technotrans Alpha.d refrigeration Automatic ink roller wash Fully automatic perfecting system. Sakurai powder sprayer...
8145	<b>1995 Sakurai Oliver 258 EP II</b> 12,000 SPH Maximum Sheet Size: 450 x 580 cm 2 Feeder Boards Olivermatic Continuous Dampening system operates with a simple touch button control, co...
8491D	<b>Solna 264P</b> (480 x 640 mm) Max Sheet Size 480 x 640 Perfection 2:0/1:1 Alcohol dampening with recirculation Powder Spray
8756	<b>2007 Win 522</b> (375 x 520 mm) WIN 522 2 colour Offset Press Year 2007 32 million impressions Stream Feeder Pre Piling Device Electromechanical Two Sheet control Pull Side lay...

### Sheetfed 1 Colour

Reference	Machine Description
8433	<b>2000 Heidelberg GTO 52 +</b> (360 x 520 mm) Single sheet feeder 2 Feeder Boards DDS/Conventional Dampening Quick Plate Clamps Powder Spray Geared for Numbering 2 Delivery Trolleys Numbering...
8068D	<b>1986 Ryobi 530</b> (520 x 365 mm) Max Paper Size 370 x 530 Conventional Dampening Speed 10,000 sph

### Carton Gluers

Reference	Machine Description
11465	<b>1983 Bobst Domino 100 M</b> (1000 x mm) Maximum open blank width – 1000 mm Maximum open blank length – 108 mm Can produce: sideseam, lockbottom and four-corner cartons. Friction belt feed...
8678	<b>1987 Bobst Domino 90</b> Equipped for Straight Line & Crashlock Cartons Vibrator on Feeder Prefold device Crash Lock System Electronic Glue System Side Glue Tank Trombon...
11452	<b>Bobst PCR 880</b> (425 x 700 mm) maximum carton blank width – 880 mm. For production of simple side seam cartons. Belt feed from bottom of pile, and feed gate with pressure cla...
8793	<b>2006 Forma Fold Carton Gluer</b> Maximum Carton size : 760 Width x 650 mm Length Minimum Carton Size: 135 Width x 245 mm Length Speed 100 m/min, Produced on this machine for all...
8780	<b>1983 Jagenberg Diana 70 -1</b> Max Carton Blank size : 700 mm Max Speed : 450 m/min Equipped for Straight Line Cartons Vibrator on Feeder Pre Fold HHS Xtrend Electronic Glue Sy...
8778	<b>2008 Kohmann Starlett S520</b> Box types: Straight line, Crash lock bottom, Double wall, CD/DVD-sleeves Working width max. 520mm Output 150m/min. Feeder with vibrating device In...
8764	<b>Vega 400</b> (400 x 400 mm) Open Blank Max 420 mm Min Blank open 54 mm Folded Blank max 200 mm Min Folded Blank 24mm Blank length max 400 mm Blank length Min 55 mm Speed 18...

### Case production

Reference	Machine Description
8747	<b>2002 Lobus DA 270 Case Maker</b> Production of hardcover books, Automatic measurement setting system. Carton feeding tape. Automatic cardboard feeder. Cardboard cut from 1 to 3 pi...

### CTP-Systems

Reference	Machine Description
-----------	---------------------

8506	<b>2004 AGFA Palladio 30 CTP System</b> Plate Sizes 360 x 520 & 520 x 740 mm 2 Plate Trays Agfa Palladio 30 Plate Processor VCF 85 Washing unit Advandt PST 26 Plate Stacker 2005
8574	<b>2005 Heidelberg Topsetter 102 74 CTP</b> 40 Inch & 28 Inch Plates, 4 Tray Plates, 100 Plates Per Tray, 16 28 inch & 12 40inch Plates Per Hour, 104 ,000 Plates produced Slip Sheet...

### Die Cutters - Automatic and Handfed

Reference	Machine Description
8546	<b>1977 Bobst 900 E</b> (630 x 900 mm) Maximum sheet size: 630 x 900 mm, Minimum sheet size: 295 x 350 mm, Maximum speed: 5,000 s.p.h., Maximum cutting pressure: 180 ton, Deep pile su...
8457	<b>1993 Bobst Easy Press 103</b> For the Production of Sample Cartons The Bobst Easy Press allows you to Die Cut 1 sheet at a time to ensure Dies have been made correctly and also...
8750	<b>1994 Bobst SP 102 SE</b> Max Speed 7500 sph Max sheet size 1020 mm x 720 mm Min sheet size 400 mm x 350 mm Platen Force 250 ton Centre Line Micrometric Adjustment Thin C...
8718	<b>1962 Bobst SP 1080 E</b> (1080 x 780 mm) Max size 720 x 1020 mm Min. size 350x300 mm 1 Chase 1 Plate 1 Stripper., Pressure 180 tons, 4.500 sh/hour
11550	<b>1972 Bobst SP 1420 E Autoplatten</b> Maximum sheet size – 1000 x 1420 mm. Minimum sheet size – 500 x 700 mm. Impressional strength – 600 tons. Speed – up to 4,500 s.p.h. Stock convert...
8776	<b>2000 Bobst SP 76 E AutoPlaten</b> (760 x 560 mm) Sheets size max. 760 x 560 mm Sheet size min 300 x 260 mm 8,000 SPH Non stop Feeder Left Hand Pull Lay Center Line Micrometric Adjustment 2...
8745	<b>2007 Bobst Speria 106 E</b> (1060 x 740 mm) Size max: 740 x 1060 mm Size min: 350 x 400 mm Speed max: 7700 sheet/hr. Pressure max 2.6 MN Stacking height feeder: 1400 mm Stacking height deli...
8719	<b>Crosland APD</b> (640 x 900 mm) Maximum Sheet Size 660 x 940 mm Minimum Sheet Size 302 x 340 mm Maximum Speed 5,000 sph Maximum platen pressure 200 tonnes Automatic Suction Strea...
11468	<b>2000 Crosland TVF</b> (910 x 660 mm) Maximum sheet size ? 1225 x 1692 mm Maximum speed ? 960 impressions per hour Modes of operation ? inching, single stroke, continuous or continuo...
8754	<b>Crosland TXE Clam Shell Hand Platen</b> (910 x 660 mm) Sheet size 91 cm x 66 cm Dwell Device Safety Guarding Timer
8524	<b>2009 Heidelberg Dymatrix 105 CS</b> 9000 Sheets per hour 63A Electric supply required New Chains 2014 Non Stop Feeder Model W4 Centreline Equipment 260 tonnes Pressure Electr...
8292	<b>Heidelberg S</b> (720 x 540 mm) Converted for Cutting & Creasing Heidelberg Suction Feeder Swing Transfer Grippers System Large Type Bed with easily access to Form; Gear Rack f...
8720	<b>Heidelberg SB</b> (770 x 540 mm) Maximum Sheet Size 540 x 770 mm, Converted for cutting and Creasing, Heidelberg Suction Feeder, swing transfer gripper system large type bed with...
8765	<b>1971 Heidelberg SBDS</b> (640 x 900 mm) Converted for Cutting & Creasing Heidelberg Suction Feeder Swing Transfer Grippers System Large Type Bed with easily access to Form; Gear Rack for...
8582D	<b>Rabolini Imperia F</b> (1690 x 1210 mm) Platen size 1120 x 1690 mm SICK Guarding System Pnuematic clutch with dwell device.

8576	<b>1999 Viking Hand Platen</b> (970 x 730 mm) Used for Cutting & Creasing ( Currently used for labels) Maximum Sheet Size: 520 x 720mm Electronic Clutch & Brake Electronic Dwell
8602D	<b>2006 Young Shin Giant 210S</b> Max Sheet Size 2100 x 1500mm / 82.67" x 59.05" Min Sheet Size 1100 x 850mm / 43.30" x 33.46" Max Cutting Size 2100 x 1490mm / 70.86" x 50.78" Min G...
8762D	<b>2001 Young Shin YT-1040NCS</b> 2001 Young Shin YT-1040NCS Automatic Die-cutter Max Sheet Size 740 x 1040 mm Min Sheet Size 440 x 340 mm Max Cutting Size 730 x 1040 mm Min Gripp...

### Flatbed

Reference	Machine Description
8601D	<b>2001 Kirby Flexo Printer Slotter</b> (1225 x 3175 mm) 3.1M Length 5.3m (Open) Width 5.5m Height 2.60m Power Req 3-phase 415v (100amp) supply 17kw DC Variable speed Motor Air supply also required appro...

### Foil Blockers

Reference	Machine Description
8766	<b>1998 Gietz FSA 790 S Hot Foil Embosing Machine</b> Maximum sheet size 790 x 560mm Minimum sheet size 297 x 210mm Maximum stamping area 720 x 520mm Thermostat adjustable up to 200 deg C Speed: up to...

### Folding machines

Reference	Machine Description
8319	<b>1995 GUK K49 4FN</b> 8 Page Flat Pile Feeder Gemser Soft touch Control buttons 4 Folding Plates 1 Electronic Knife Danalec Batch Counter Delivery Unit
8564	<b>MBO K52 4KL</b> Maximum Sheet Size 520 x 720mm Flat Pile Feeder Counter 4 Folding Plates 2 Knives Mobile Delivery Pump
8573	<b>2004 Stahl TD 78 6 /4/2</b> (780 x 0 mm) Pallet feeder Tremat Feeder Head Front Air Blower & Side Paddle Blower Digital Controls Batch Counter 6 ParallelFolding Plates with Slitting,...
8571	<b>1999 Stahl Ti 55 6/4</b> (520 x 840 mm) Round Pile Feeder Blower and Paddle control Digital Counter Digital Controls 6 Folding plates Slitting & scoring Unit 2 4 Folding Plates Slitting...

### Guillotines/Cutters

Reference	Machine Description
8800	<b>2004 Lombardi V10 Ram Punch</b> Maximum platen size 260mm x 260mm With Ram punch dies 100x100mm 50x50mm 34.25x72mm 72x155mm 50x100mm 90x90mm 61x102mm 62x102mm...
8583D	<b>2006 Perfecta-132 TVC</b> (1320 x 0 mm) Digital Programming With Touch Screen Light Beam Guards Air Table Manuals Tools
8674	<b>2012 Schneider Senator 115 H</b> (1150 x 0 mm) Air Tables TFT Colour Monitor Touch Screen Adjustable Clamp Pressure Hydraulic Drive Central Lubrication System Optical Cut Indicator Clamp Cove...
8191	<b>2008 TUS 115</b> (115 x mm) Airtable Programatic Colour Screen Lightbeam Guards 2 Spare Blades Manuals & Tools
8447	<b>Wohlenberg 115 MCS 2 Guillotine</b> (1150 x mm) Airtables Programmatic Spare Blade Knife Changing Equipment Light Beam Guards

## Labels and Forms

Reference	Machine Description
8310	<b>2008 Edale Beta 250</b> (250 x mm) Eight Colour Flexo Self Adhesive Label Press Max Web width 260 mm Unwind 7 x IR/Hot Air Drying 1 x UV Drying Unit Auto Register System UV Foilin...
8573	<b>1994 Mark Andy 2200</b> (250 x mm) 10 " or 254 mm 8 Flexo units Reverse Printing Finishing – Cut Roll Delivery Side Guide Systems before first unit Manual Register Control 8 UV...
8735	<b>1999 Mark Andy 2200 10E</b> (250 x mm) Eight Colour Flexo Self Adhesive Label Press Max Web Width 250 mm (10 Inch) 8 x flexo print stations 8 x UV drying Units Turner bar Lamination Un...
8760	<b>1994 Mark Andy 4200</b> (250 x 250 mm) 9 x Flexo Print Units 9 x GEW UV Units Max web width 250 mm (10 Inch) Computerized controls Unwind Unit with Splice Table Web Guide Turner Bar...
8753	<b>1994 Mark Andy MA2200</b> (250 x mm) 10 " or 254 mm max width 8 Flexo units Reverse Printing Finishing – Cutting station Roll Delivery Side Guide Systems before first unit Manual Re...
8312	<b>1990 Nilpeter F240</b> (240 x 215 mm) Two Colour Flexo Self Adhesive Label Press 2 x Flexo Print Units with reverse angle doctor blades Max web width 240 mm Max Print width 215mm Max p...
8047	<b>1995 Nilpeter F2400</b> (240 x mm) Max Web Width 240 mm Max Print Width 235 mm Repeat Range 140 - 323 mm 7 Colour Flexo Self Adhesive Label Press 7 x Flexo Print Units Co...
8046	<b>1985 Webtron 7000</b> Three Colour Flexo Self Adhesive Label Press Web  Web Width 7 Inch Unwind 3 Flexo Printing stations with hot air dryers 3 die-cut stati...

## Laminating and coating

Reference	Machine Description
8717	<b>2005 Autobond Compact TP 102</b> (760 x 1030 mm) Double Sided Film Laminator Size: 74 x 102 cm Heidelberg Feeder Deep Pile Delivery Tool Temperature Heater Siemens Computer Control slitting Whe...
8568	<b>2008 Autobond Mini 52T</b> Maximum Size: 52 x 74 cm For the automatic laminating of sheets by thermal laminating system Continuous Top Loading Feeder Two Sheet Trip Therma...

## Packing machines

Reference	Machine Description
8348	<b>2006 Siat Pallet Shrink Wrapper</b> Programmatic

## Paper drilling machines

Reference	Machine Description
6712	<b>Boston Multiple Stitcher 2 Head</b>

## Perfect Binder

Reference	Machine Description
8567	<b>2014 Bourg BB 3002 3P + PE EVA</b> Maximum Speed 600 Cycles Per Hour Minimum Cover Size 100 x 201mm Maximum Cover Size 385 x 750mm Cover weight 80 to 300gsm Wide Range of Book Thic...
8767	<b>2010 Duplo DPB 500 Perfect Binder</b> Book Block Length 120 to 360mm Book Block Thickness 1 to 51mm Book Block Height 120 to 320mm Cover Length 120 to 360mm Cover Width 250 to 696mm...
8768	<b>2013 Morgana Digi Book 450 Perfect Binder</b> Up to 450 books per hour Touch screen operation Binding length (spine) from 100mm up to 450mm Spine thickness from 2 to 50 mm Spine preparation by...

## Pile turner / elevator

Reference	Machine Description
7847	<b>Busch (750 x 600 mm)</b> SE 125 Hand Feed Station Hydraulic Clamping Extended Delivery
8448	<b>1996 KRIFFT &amp; ZIPSNER VB 140 RL Pile Turner (1120 x 790 mm)</b> Max. sheet size: 800 x 1200 mm Min. pile height: 650 mm Max. pile height: 1.300 mm Max. stack weight: 1.200 kg Standard machine with air and joggi...
7942	<b>2006 Perfecta SL 10P Pile Lift</b> Up & Down Loader
8617	<b>1999 Rachner R 1000 PA Pile Turner</b> Max sheet size 1030 x 740mm Lifting capacity 1000kg Max. Opening width 1400 mm, min. 570 mm Aireation, Jogging Cleaned and Checked
8449	<b>2012 Samzon 1250 x 1650mm Pile Turner</b> Rotation hydraulic Functioning manual PLC programmable air cycle Jogger Air Blower Max paper size 1250 x 1650 Mm Max platform opening 1950 mm...
8446	<b>2012 Samzon S AJ 1950-18</b> Rotation hydraulic Functioning manual PLC programmable air cycle Jogger Air Blower Max paper size 1250 x 1650 Mm Max platform opening 1950 mm...

## Screen printing

Reference	Machine Description
8734	<b>1994 Sakurai Trumax SC 112 A</b> Spot or All Over Screen Unit, UV & IR Dryer Hot Air Knives High Pile Delivery

## Window Patchers

Reference	Machine Description
8557	<b>2002 Kohmann F1100 /2 (1020 x 1120 mm)</b> Maximum Blank Length 1020mm Minimum Blank Length 100mm Maximum Blank width 1120mm Minimum Blank width 80mm Maximum Film Length 720mm Minimum...

## Wrapping Machines

Reference	Machine Description
8542	<b>2005 Kempner Shrink Wrap Line L Sealer</b> 2005 KEMPNER AUTOMATIC SHRINKWRAPPER Serial No. 2 Auto Infeed L Sealer Shrink Tunnel



