



Care Graphic Machinery Ltd  
 1 Britannia Business Park, Britannia Way  
 DN14 6ET Goole, East Yorkshire

Phone: +44(0)1977 695500  
 Email: sales@caregraphic.co.uk

### Sheetfed 10 Colour

Reference	Machine Description
9287	<b>1998 Heidelberg SM 102 10P</b> (720 x 1020 mm) Ten colour offset press Maximum sheet size 720 x 1020mm Steel plate in feeder Alcolor dampening CPC 104 remote inking CP Tronic Grafix Exactroni...
9459D	<b>2002 Heidelberg SM 74 10 P</b> (520 x 740 mm) CP2000 Autoplate Auto washers Ink temperature control Alcolor dampening Technotrans refrigeration Grafix Exatronic powder spray device Water-co...

### Sheetfed 8 Colour

Reference	Machine Description
9626	<b>2001 Heidelberg CD 102 8 LX</b> (720 x 1020 mm) Grafix uv with 4 inter deck cassettes 4 uv lamps in the delivery Grafix IR dryer Autoplate Auto blanket wash Auto cylinder wash CP2000 Axis co...
9680	<b>1995 Heidelberg SM 102 8 P</b> (720 x 1020 mm) CPC 1.04 CP Tronic Alcolor Dampening Autoplate Grafix Exatronic Powder Spray Technotrans Refrigeration Preset Feeder Electronic double s...
9393	<b>2012 KBA Rapida 142 8P</b> (1020 x 1420 mm) Perfecting 4+4 Maximum Sheet Size: 1020 x 1420mm Ergotronic Colour Control, Preset, Varidamp FAPC Full automatic plate loading Ink Temperat...

### Sheetfed 6 Colour

Reference	Machine Description
9684	<b>2007 Heidelberg CD 102 6 L 3 UV</b> (720 x 1020 mm) CP 2000, Preset plus feeder and delivery X3, Autoplate, Alcolor dampening, Technotrans Combistar, all automatic washers, chambered ducto...
9712	<b>2001 Heidelberg CD 102 6 LX</b> (720 x 1020 mm) CP 2000 Preset Link Image Control Preset Feeder & Delivery Alcolor Dampening Technotrans Refrigeration Auto Blanket wash Auto Roller was...
9627	<b>1995 Heidelberg CD 102 6 LX</b> (720 x 1020 mm) Autoplate, Auto blanket wash, Auto cylinder wash, Tower coater with extended delivery CPC 1-04 CP Tronic console IR Dryer Non Stop Feeder & Del...
9468	<b>1996 Heidelberg SM 102 6P</b> (720 x 1020 mm) Perfecting 2/4 6/0 CPC 1-04 CP Tronic Autoplate Auto roller & blanket wash Alcolor dampening Technotrans refrigeration Infra-red dryer Comcon 1...
9624	<b>2005 Heidelberg SM 102 6 PL</b> (720 x 1020 mm) Alcolor Dampening CP 2000 Autoplate Preset Plus Feeder Preset Delivery Auto blanket and ink roller wash ups Powder Spray Inkline Axis Control...
9634	<b>1991 Heidelberg SM 102 SPL</b> (720 x 1020 mm) Alcolor Dampening Chiller Quick Action Plate Clamps CP Tronic CPC 1.03 Tresu Tower Coater Powder Spray IR Dryer

9612	<b>1999 Heidelberg SM 52 6 P</b> (370 x 520 mm) CPC 1-04 CP-Tronic Preset Autoplate Alcolor Dampening Auto Ink Roller Wash Auto Impression Cylinder Wash Auto Blanket Wash Powder Spray Low P...
9701	<b>1996 Heidelberg SM 74 6 PL</b> (520 x 740 mm) Autoplate Auto Blanket wash Auto Roller wash Auto Impression cylinder wash Alcolor CPC 1-04 CP Tronic Superblue jackets after perfector A...
8857	<b>1995 Komori L 628 LX</b> (520 x 720 mm) Stream feeder Komorimatic PQC Chrome Impression Cylinders Quick action clamps Recirculation device Powder Spray Coating unit Extended delivery...
9662	<b>2002 Komori L 628 LX</b> (520 x 720 mm) PQC Komorimatic Dampening SAPC Auto Blanket wash Pierry IR Driers Extended delivery Dedicated coating unit
9698	<b>2001 Komori L640 C</b> (720 x 1030 mm) PQC PDC scanner FAPC Presets Non stop feeder Dedicated coating unit Aqueous coating Extended delivery Royse chillers IR dryers Grafix powder...
9561	<b>1998 Komori L 640 CX</b> PQC PDCS AMR SAPC All Wash Up Devices Chrome Cylinders Standard Roller Coater
9494	<b>1994 Komori Lithrone L 640 LX</b> (720 x 1030 mm) Maximum Sheet Size: 720 x 1020mm Non Stop Feeder, PQC, KMS, Presets Komorimatic, Technotrans Chiller, FAPC Automatic Plate Change ( Fully...
9682	<b>1997 Manroland 306</b> Perfecting 6/0 or 2/4 Equipped with CCI Console Semi Automatic Plate Change Rolandmatic dampening Dedicated coating unit with Tresu coater...
9264	<b>2003 Roland 706 3B</b> (740 x 1040 mm) RCI, CCI, Colorpilot, Rolandmatic, Technotrans recirculation refrigeration PPL plate loading All auto washers Airglide Delivery
9591	<b>1998 Roland 706 TLV</b> (740 x 1040 mm) Maximum Sheet Size: 720 x 1020mm Maximum Speed: 15,000 SPH Raised: 280mm Stream Feeder RCI Intellitrac Colour Bar Checker Rolandmatic Technotra...

### Sheetfed 5 Colour

Reference	Machine Description
9452D	<b>2013 Hans Gronhi GH 525</b> (375 x 520 mm) Only 8 Million Impressions from new. Immaculate condition. Stream feeder with suction belt feed board Mechanical and ultrasonic dou...
9621	<b>2003 Heidelberg CD 102 5 LX</b> (720 x 1020 mm) CP2000 Image Control Alcolor Vario Ink Temp control Preset Plus Delivery Preset Plus Feeder Airstar Technotrans Combistar Cleanstar Grafix Po...
9544	<b>2004 Heidelberg CD 74 5 P3 LX</b> (530 x 740 mm) CP2000 Axis Control Alcolor Autoplate Preset Electronic side lays Combistar – Technotrans Beta c. CAN -water cooled. Programmable wash of ink/...
9502	<b>2006 Heidelberg CD 74 5 P H L</b> (530 x 740 mm) C Format Maximum Sheet Size 520 x 740mm Perfecting 2/3 5/0 CP 2000 Axis Control Alcolor Preset Autoplate Automatic Blanket Roller Impression...
9649	<b>2012 Heidelberg CX 102 5 LX</b> (720 x 1020 mm) Alcolor dampening PRINECT CP 2000 InPress Control Autoplate Pro Preset plus Feeder and Delivery All automatic washers Blanket Roller Impress...
9593	<b>1989 Heidelberg GTO 52 FP NP</b> (360 x 520 mm) Perfecting ¼ 5/0 Maximum Sheet Size 360 x 520mm Single Sheet feeder Royse Alcohol Quick Plate Clamps Powder Spray 2 Feeder Boards 2 Delivery T...
9576	<b>1990 Heidelberg MOFH L</b> (480 x 650 mm) Stream feeder CPC 103 light pen and cassette Cp tronic Grafix IR dryer Grafix powderspray Alcolor with Baldwin recirculation unit Roller and bl...

9562	<b>2001 Heidelberg SM 102 5P</b> (720 x 1020 mm) CP2000 Autoplate Alcolor dampening Technotrans beta.C Ink temperature control (chilled rollers) AlcoSmart AZR Auto roller wash Auto blanket w...
9689	<b>2007 Heidelberg SM 52 5H</b> (370 x 520 mm) 15,000 SPH Maximum Sheet Size 520 x 360mm Circa 55 million impressions CP2000 Alcolor Technotrans Refrigeration Autoplate Preset Automatic Wa...
9535D	<b>2007 Heidelberg SM 52 5 H LX</b> (370 x 520 mm) Maximum speed: 15000 sph CP2000 Automatic ink dosing Alcolor dampening Anicolor Autoplate Auto roller wash Auto blanket wash Auto impression...
9683	<b>2007 Heidelberg SM 74 5 L</b> (520 x 740 mm) CP2000 Autoplate Alcolor dampening Technotrans refrigeration Auto roller wash Auto blanket wash Auto impression cylinder wash Dedicated Coating...
9679	<b>1995 Heidelberg SM 74 5 PHL</b> (520 x 740 mm) Perfecting 2/3 5/0 Circa 79 Million Cp-Tronic Cpc1-04 Alcolor Technotrans Chiller Preset Autoplate Automatic Washup's Powder Spray Tower Coa...
9407	<b>2014 Heidelberg SM XL 106 5 LX</b> (750 x 1060 mm) sheet size 75 x 106 cm, Prinect Press Center, Inpress Control, Wallscreen, Ink Star, Clean Star, Air Star, Preset Plus feeder/delivery, D...
9272D	<b>2010 Heidelberg XL 75 5 P L C</b> (530 x 750 mm) Alcolor Vario with Technotrans beta C, Autoplate, Prinect Press Center with Axis control, Ink Temperature Control, Heidelberg Drystar IR dryer, Heidel...
9345	<b>1997 Komori L528 LX</b> (520 x 720 mm) PQC KMS IV Komorimatic Chiller Unit SAPC Presets Auto Blanket & Roller Wash Grafix Powder Spray Tower Coater IR Dryer
9713	<b>1998 Komori Lithrone L-28</b> (520 x 720 mm) PQC Komorimatic Continuous Feeder and Delivery Chrome impression cylinders Royce Coater Pump Standard Coater Blanket washers Quick Plate C...
9550	<b>2005 Komori Lithrone L 528 CX</b> (520 x 720 mm) Harris & Bruno Anilox coater PDC-S II color scanner Vacuum tape feeder, newer style Technotrans combination unit for ink chilling and fountain s...
9547	<b>2006 Komori Lithrone L540</b> (720 x 1030 mm) PQC console, KMS-IV Komori Management System, KHS Komori High Speed Inking system, Semi Automatic Plate Changers, AMR - sheet size and thicknes...
9690	<b>2011 Komori Lithrone LS 529 Coater</b> (5300 x 7500 mm) Komori LS 529+C 5 Colour + Coater Year: 2011 Maximum sheet size: 53 x 75 cm 120 million impressions PQC Off Press Control KMS Monitoring system...
9265	<b>2007 Roland 705 Hi Print</b> (740 x 1040 mm) ColorPilot Straight Machine PPL auto Plate Rolandmatic Dampening Auto Blanket & Ink roller wash Technotrans Beta. Cooling Ink Temperature Contr...
9128	<b>2005 Sakurai 575 SD Coater</b> Max sheet size 765x600mm Double diameter of Cylinders pressure Double diameter of Cylinders transfer SAS Sakurai Auto Set SPC Sakurai semiautomati...
9647	<b>2014 Sakurai 580 SD</b> (580 x 450 mm) Max. Sheet Size: 790 x 600 mm Plate size: 600 x 730mm Max Speed: 15,000 sph Stock range: 0.04 - 0.6mm SCC III - Sakurai Colour Console Off Press C...

### Sheetfed 4 Colour

Reference	Machine Description
9595	<b>1980 Heidelberg GTO 46 VP NP</b> (320 x 460 mm) Perfecting 2/2 4/0 Maximum Sheet Size 360 x 460mm Single Sheet feeder Royse Alcohol Quick Plate Clamps Powder Spray 2 Feeder Boards 2 Delivery...
9606	<b>1997 Heidelberg GTO 52 4</b> (370 x 520 mm) DDS Dampening Laser Cut Ink Ducts Weko Powder Spray Geared for Numbering

9638	<b>1997 Heidelberg GTO 52 4P</b> (360 x 520 mm) 2 + 2 Perfecting Electronic double sheet detector DDS dampening Quick action plate clamp Plus version with numbering and perf Spare rollers Tool...
9534	<b>1992 Heidelberg GTO 52 V +</b> (360 x 520 mm) Maximum Sheet Size 360x 520mm Single Sheet Feeder CPC 1-02 Alcolor Baldwin Chiller Quick Action Plate Clamps Weko Powder Spray Geared For N+P...
9594	<b>1989 Heidelberg GTO 52 VP NP</b> (360 x 520 mm) Perfecting 2/2 4/0 Maximum Sheet Size 360 x 520mm Single Sheet feeder Royse Alcohol Quick Plate Clamps Powder Spray 2 Feeder Boards 2 Delivery...
9660	<b>2004 Heidelberg SM 102 4P</b> (720 x 1020 mm) Post Drupa Perfecting: 4+0 / 2+2 208 million impressions CP-2000 Center Axis Control Alcolor Dampening Technotrans Beta D Alco Smart AZT Preset...
9611	<b>1998 Heidelberg SM 102 4P</b> (720 x 1020 mm) CPC 1-04, CP Tronic, Alcolor dampening, Autoplate, Preset, Technotransrefrigerator, Cocking Powder spray, Automatic blanket & rollers wash,...
9658	<b>1987 Heidelberg SM 102 VP</b> (720 x 1020 mm) Rebuilt by Heidelberg & CP Tronic Added Circa 100 Million Impressions Maximum Sheet Size 720 x 1020mm Perfecting 2/2 4/0 Stream Feeder CPC 1-02...
9655	<b>2000 Heidelberg SM 52 4H</b> (370 x 520 mm) 15,000 SPH Maximum Sheet Size 360 x 520mm Stream feeder Electronic sidelay CP 2000 Alcolor Technotrans Chiller Preset Autoplate Automat...
9695	<b>1996 Heidelberg SM 74 4PH</b> (520 x 740 mm) CPC 1.04 CP Tronic Alcolor Dampening Technotrans Refrigeration Autoplate Auto Blanket wash ups Grafix Powder Spray Comcon 110 IR Dryer...
9687	<b>2001 Komori L 428</b> (520 x 720 mm) 55 Million PQC Easy plate Blanket and roller wash up device Powder spray Komorimatic Baldwin Chiller
9563D	<b>1996 Man Roland 304 HOB</b> (530 x 740 mm) RCI remote ink and register Rolandmatic damping with Technotrans recirculation and refrigeration Automatic ink roller and blanket wash-up devices...
9585	<b>2001 Roland 204 E</b> (520 x 740 mm) Rolandmatic Dampening Auto ink-roller washer Diagonal register Double-sheet control Low pile delivery Powder sprayer RCI-2 Ink Control Remote...
9636	<b>2007 Ryobi 524 GX</b> (520 x 370 mm) Ryobimatic Dampening Technotrans Alpha D Refrigeration Ryobi RPC fully automatic plate change Ryobi PCS-G Print Control Ryobi PDS-E Print Density Co...
9637	<b>2002 Ryobi 524 HE</b> (520 x 370 mm) PCS Ryobimatic SAPC Ryobi Programable Inking Blanket & Auto Roller Wash
9468	<b>2014 Sakurai 480 SD</b> (520 x 720 mm) Max. Sheet Size: 790 x 600 mm Plate size: 600 x 730mm Max Speed: 15,000 sph Stock range: 0.04 - 0.6mm SCC III - Sakurai Colour Console Off Press C...

## Sheetfed 2 Colour

Reference	Machine Description
9607	<b>1996 Heidelberg GTO 52 2</b> (360 x 520 mm) DDS Dampening Weko Powder Spray Quick Plate Clamps Geared for Numbering
9692	<b>1989 Heidelberg MOZPS</b> (480 x 650 mm) Impressions: 60 Million Maximum Sheet size: 480 x 650 mm Stream feeder Mechanical double sheet Electronic front lays and impression control Manua...
9553	<b>2007 Heidelberg SM 102 2 P</b> (720 x 1020 mm) Maximum Sheet Size 720 x 1020mm CP2000 Manual Ink Ducts Alcolor Presets Automatic Blanket Wash Powder Spray Non Stop Delivery

9628 **1990 Roland 202 TOB** (520 x 740 mm)  
Stream Feeder Electronic Sidelay Chrome Impression Cylinder Quick Plate Clamps Rolandmatic Chiller Unit Weko T6 Powder Spray 4 Delivery Gripper...

8145 **1995 Sakurai Oliver 258 EP II**  
12,000 SPH Maximum Sheet Size: 450 x 580 cm 2 Feeder Boards Olivermatic Continuous Dampening system operates with a simple touch button control, co...

## Binding Machine

Reference	Machine Description
9697	<b>2010 Horizon BQ 470 PUR</b> Perfect binder designed for operation by one person with touch-screen control panel for easy set-up. Comprising; BQ-470 binder with hand fed station...

## Booklet Production

Reference	Machine Description
9588D	<b>Duplo System 3000 Collators &amp; System 5000 Booklet Maker</b> 2 X System 3000 Eight Bin Collators DC-8/32 1 X Lifting Unit LUL- HM 1 X System 5000 Dynamic Booklet Maker DBM-500 1 X System 5000 Trimer DBM-500T...

## Carton Gluers

Reference	Machine Description
9316	<b>1997 Anter 750</b> (750 x 750 mm) Straight Line Crash lock 4 & 6 corner Gluer For the manufacture of cut and creased carton board cartons from 200 to 600 gr/m2 Pafra Electronic Glue...
11563	<b>1996 Bobst Domino 110 MII Carton Gluer</b> (43 x mm) For Production of Straight line Crash Lock Cartons 4 Corner Cartons Max Blank width 1110 mm Min Blank width 126 mm Straight line Pre Breaker...
9632	<b>2011 Bobst Expertfold 110 A 2</b> Accufeed CUBE control Straight line, crashlock, Main gauge Air gauge with blower Additional feedbelt Electric pile vibrator Suction device Upp...
9622	<b>2008 Bobst Fuego 80 A1</b> (420 x 594 mm) Straight Line & Crash Lock Cartons Prefold Device 4 Crash Lock hooks HHS Glue system 3 Guns Side Glue Tank Kicker/Counter Trombone Section Com...
8880	<b>2006 Bobst Mistral 110 A2</b> (1100 x 126 mm) Max. blank width 1100 mm Min. blank width 126 mm Max. blank length 800 mm Min. blank length 60 mm All technical equipment for straight-line, Cr...
9310	<b>Gandossi &amp; Fossati CS95 Crash Lock Carton Gluer</b> (750 x mm) Straight Line Carton Gluer with Crash Lock Maximum Width 900 mm Min folded blank 100mm Pafra APC Glue system Protek Hot melt glue system ( Nordso...
9633	<b>Jagenberg Diana 45-1</b> (45 x 750 mm) Maximum Width 510 mm Minimum Width 450 mm Straight line Lower disc gluing system left Counter Pre-breaker right and left Pre-fold section
9379	<b>2000 Vega Sirio 102</b> (820 x mm) Straight Line Cartons Only Vibration on Feeder Side Glue Tank Code Reader / Ejector Kicker Compression Delivery Section Vega Digital Counter C...

## Case Production

Reference	Machine Description
9514	<b>2006 Kolbus DA 232</b> Copilot system with touch screen Cardboard pre-stacking belt for automatic refilling Utility feed belt for scaling Border feed for the back insert...

## Collators

Reference	Machine Description
-----------	---------------------

9671

**1982 Kolbus ZU 800**

Max: 6,000 cycles/hr 16 automatic rotary feeders with suction and double gripper action Electro-mechanical doub...

**Die Cutters - Automatic and Handfed**

Reference	Machine Description
9618	<b>2009 Bobst Expertcut 106 LER</b> Non-stop feeder Processing Optical Lateral Register Cam driven platen Autoplatten concept CUBE3-System Centerline System Compensating plate for...
9610	<b>1995 Bobst SP 102 CER (1020 x mm)</b> Max sheet size: 720 x 1020mm Min sheet size: 430 x 300mm Max pressure 250 tons Speed : 9000 sph Equipped with: Stream Feeder 4 Front Lays Left...
9175	<b>1992 Bobst SP 102 E (1020 x 720 mm)</b> Hours: 29,000 Max. Size 720x1020 cm Min. Size 350mm x 400mm Cutting Pressure 250 TONS Min. Gripper Margin 8 - 14mm Thickness of...
9533	<b>1990 Bobst SP 102 E Automatic Die Cutter (1020 x 720 mm)</b> speed 7500 sheets / hour suction head feeder cutting section one frame for cutting form stripping section 2 bottom frames...
9495	<b>2004 Bobst SP 102 E Evoline (1020 x 720 mm)</b> 7500 sheets per hour Maximum Sheet Size 720 x 1020mm Only 26000 hours Stripping pre-set table Non Stop feeder Left Hand Pull Lay Front Registe...
9372	<b>1998 Bobst SP 104 E (4170 x 2670 mm)</b> Stripping station, centerline, non-stop automatic feeder, non-stop-manual delivery, pull site lay mark o.s, push site lay mark o.o.s electric doub...
9375	<b>2001 Bobst SP 104 ER Automatic Die Cutter (4170 x 2670 mm)</b> 63,000 hours Non Stop Feeder Steel plate Double Sheet Sensor Left hand pull lay Right hand pull lay Micrometric adjustment 2 chases 1mm cutti...
9267	<b>1968 Bobst SP 1080E (1080 x 780 mm)</b> Maximum Sheet Size: 780 x 1080mm Minimum sheet Size: 295 x 350mm Speed 4,500 SPH Cutting Pressure 220 Tons Feeder Board Left Hand Pull Lay Rig...
9342	<b>1961 Bobst SP 1260 E</b> Maximum sheet size: 920 x 1260 mm, Minimum sheet size: 350 x 500 mm, Maximum speed: 5,000 s.p.h., Maximum cutting pressure: 500 ton, Pre Load G...
9486	<b>1997 Bobst SP 76 BM Foilmaster</b> Size: 56 x 76 cm (560mm x 760mm) With Hot Foil Stamping, Cutting & Creasing (No Cutting Chase), 1 x Honeycomb Chase, Centerline System for Quic...
9341	<b>Bobst SP 900 Automatic Die Cutter (630 x 900 mm)</b> Maximum sheet size: 630 x 900 mm, Minimum sheet size: 295 x 350 mm, Maximum speed: 5,000 s.p.h., Maximum cutting pressure: 180 ton, Pre Load Gat...
9620	<b>2003 Bobst Sprintera 106 PER Power Register Blanking</b> High Speed Automatic Die Cutter with Blanking Speed 9,000 p/h Size 76 x 106 cm (30" x 41 3/4") Equipped with: Platform with safety barrier. C.U.B.E...
9517	<b>1977 Crosland APD Automatic Die Cutter (640 x 900 mm)</b> Stream Feeder Left Hand Side Lay Front Register Lays Die Cutting Station Stripper
9661	<b>Heidelberg SB Automatic Die Cutter (740 x 540 mm)</b> Fully Rebuilt 4 Years Ago Converted for Cutting & Creasing Heidelberg Suction Feeder Swing Transfer Grippers System Large Type Bed with easily acc...
9691	<b>Heidelberg SBB (820 x 570 mm)</b> Heidelberg SBB Die Cutting Cylinder Fully Refurbished 10 Years Ago Converted for Cutting & Creasing Heidelberg Suction Feeder Swing Transfer Gripp...
9597	<b>1969 Heidelberg SBD (640 x 900 mm)</b> Converted for Cutting & Creasing Heidelberg Suction Feeder Swing Transfer Grippers System Large Type Bed with easily access to Form Gear Rack for...

9657	<b>Heidelberg SBD</b> (640 x 900 mm) Fully Rebuilt 3 Years Ago Brand New Feeder Pump Converted for Cutting & Creasing Heidelberg Suction Feeder Swing Transfer Grippers System Large T...
9546	<b>Heidelberg SBG</b> Converted for Cutting & Creasing Heidelberg Suction Feeder Swing Transfer Grippers System Large Type Bed with easily access to Form Gear Rack for...
9361	<b>1990 Iberica AR 80 Automatic Corrugated Die Cutter</b> (1050 x 750 mm) Maximum Sheet Size: 900 x 1400 mm Minimum Sheet Size: 500 x 600 mm Equipped to Handle E B C Flute Stock High Pile Feeder Automatic Sheet Feed Rig...
9489	<b>2009 Iberica JR 105 F Speed Automatic Die Cutter</b> (105 x 75 mm) 15,543 hours Raised 30cm Max sheet size 750 x 1050 mm Min sheet size 356 x 400 mm Non Stop Feeder with Steel Plate Left hand pull lay Front Re...
9437	<b>1971 Johannisburg 104S</b> (1040 x 730 mm) Maximum Sheet Size : 720 x 1040 mm Minimum Sheet Size 297 x 420mm Maximum speed 3,500 SPH Height of Feeder Pile: 500mm Height of Delivery Pile...
9421	<b>1995 Nikko 105 XR Automatic Die Cutter</b> (750 x 1050 mm) Max Sheet Size : 750 x 1050 mm Max impression strength : 300 tons Pre load system Automatic non stop pile feeder Complement of infeed table furnit...
9707	<b>1999 Sanwa 1060 SE Automatic Die Cutter</b> (1060 x 740 mm) 300 Ton Cutting Pressure Steel Plate Feeder Non stop feeder 2 Electronic Side lays Push & Pull Electronic Front Lays 2 chases 2 Cutting Plates...
9631	<b>2006 SBL-1050 SE</b> (750 x 1050 mm) Non stop feeder Left Hand Pull Lay Front Register lays Die Cutting Station Double Action Stripper Non Stop Delivery

### Folding Machines

Reference	Machine Description
9505	<b>2004 Stahl KD 78 4/KTL</b> (780 x 0 mm) 16 Page Machine Round Pile Feeder Digital Controls Counter 4 Folding Plates Electronic Knives SBP 46 Presser Stacker
9021	<b>1998 Stahl TI52 4/4</b> Tremat Flat Pile feeder Danalec Counter Digital Controls 4 Folding Plates Unit 1 4 Folding Plates Unit 2 Slitting & scoring Gate Fold Plate SAK...

### Guillotines/Cutters

Reference	Machine Description
7959	<b>1996 Knorr L 1000 6W</b> (1040 x 1460 mm) pile lift
8873	<b>Knorr RL3 Paper Jogger</b> Size: 520 x 720mm Air Table, Jogger, Cleaned & Checked
9659	<b>2010 Perfecta 115 TS Guillotine</b> (1150 x 0 mm) Colour Touch Screen Airtable Programmatic 4 Spare Blades Manuals Tools Light Beam Guarding
9709	<b>2000 Polar 115 ED Autotrim</b> (1150 x 0 mm) Colour Screen Computer Programme Autotrim Air Tables FFM Light Beam Guarding Spare Knives Knife Changing Equipment Waste Bins Electrical, P...
9673	<b>2000 Polar 115 E Flowline</b> 115 cm Programmatic Guillotine Flowline with Pile lift, Jogger & Downloader.
9589D	<b>1997 Polar 78 E</b> (780 x mm) Computer Programme Air Table FFM Full Function Monitoring Spare Knife Knife Changing Equipment

9674	<b>1995 Polar 92 E</b> (920 x mm) Programmatic Guillotine with Colour Display
9693	<b>1992 Polar 92 EM Guillotine</b> (920 x mm) FFM Guarding Variable speed back gauge Variable pressure clamp for various stocks Air table with blower Steel side tables left & right Knife chan...
9114	<b>1995 Schneider 115 SC Video</b> (1150 x mm) Programmataic Airtable Photocells Guarding Spare Knives Chrome Table Knife Changing Tools Cleaned and Checked
8984	<b>1996 Schneider Senator 115 SC Guillotine</b> (1150 x 0 mm) Programmable Light beam guards Air Table Manuals & Tools Spare Blades
9615	<b>Wohlenberg 180</b> (1800 x mm) Light Beam Guarding Spare Blades Air Table Chrome Bed Computer Programme with Memory Maximum Cutting Width 180cm

### Hard Cover Book Production

Reference	Machine Description
9669	<b>1982 Kolbus BF 40 Casing in Line</b> 2,400 cycles p/h. High speed fully automatic casing-in with: AR rounder backer, 1st gluing, Gauzing, 2nd gluing...

### Hot Foil Stamping

Reference	Machine Description
9113	<b>1991 Bobst SP 126 BMA Hot Foiling &amp; Embosing</b> (920 x 1260 mm) Speed 5.000 s/h, Dwell System stop in pressure, Carton board max 2000 g/m2, Corrugated board max 4 mm, Sheet size min 350x500 mm / max 920x126...
9617	<b>2004 Bobst Speria Foil Master 104 FR</b> Foil register Chases Plates Upper and Lower Stripping Micrometric Adjustment Make Ready table

### Labels and Forms

Reference	Machine Description
9496	<b>2006 MPS Form Pack EE 330</b> (330 x mm) 6 color flexo, BST Autoregister, Cylinder refrigerated for special substrate, turnpaper, open close label, Double diecutting, UV Dryer GEW refrigera...
9280	<b>1996 Nilpeter F3000</b> (300 x 300 mm) Maximum Web Width 300 mm 8 Flexo Print Units Unwind Nilpeter Roto-Control Splice Table Web Guide Vetaphone ET Corona Plus Treater Web Cleaner...
9314	<b>2005 Nilpeter FA 2500 Label Press</b> Maximum Speed 150 MPM 5 Flexo Units Rotometrics Crush slitters Fife Web Guide Kelva web Cleaner Manual Register Control 5 x GEW UV Drying Lamps...

### Laminating and coating

Reference	Machine Description
9580	<b>1993 Billhöfer EK 76 TM 76</b> (760 x 1020 mm) Max sheet size 76 x 102 cm, Min sheet size : 25x35 cm, Speed approx. 35 m/min, Paper 100 g/m2 min, Fully Automatic High speed Laminator Wet &...
9569	<b>2016 Lamina 1110 Black line Paper to Board Laminator</b> Machine details: Max Sheet Format: 1100 mm x 1000 mm Minimum Sheet Format: 200mm x 350 mm Top Materials range: 130 – 450gm/m2 Bottom material ran...
9567	<b>2006 Steinemann Aqua 110 Film Laminator</b> (110 x mm) Automatic film laminator Water and Dry Max sheet size 110 x 140cm, Min sheet size 32 x 35cm Ecosystem automatic pile suction feed, automatic shee...



## Perfect Binders

Reference	Machine Description
9650	<b>2006 Müller Martini Acoro A5 Plus PUR</b> Less than 20,000 hours worked, excellent condition! 18 x 1571/21" top loading feeders with hand feed station & sequential stop/start M.M. ASAC calli...
9664	<b>2009 Müller Martini Pantera Line PUR (380 x 320 mm)</b> Max: 3,600/ hour 20 station 1571 gatherer, 12 clamps binder with hot-melt + PUR gluing Merit S trimmer.
9665	<b>2010 Müller Martini Pantera Solo PUR</b> MULLER MARTINI PANTERA SOLO - PUR. Max: 3,600/ hour 12 clamps binder with hot-melt + PUR gluing
9666	<b>2008 Müller Martini Tigra</b> Max: 3,600/ hour 12 Station 1571 gatherer 9 clamps binder with hot-melt gluing

## Pile Turner / Elevator

Reference	Machine Description
9008	<b>1992 Busch SW 104 L2A</b> Busch Pile Turner Serial Number: 421/473 Maximum - Minimum Pallet Width: 60 – 118cm Maximum - Minimum Stack Height including 2 Pallets 50- 140cm...
9353	<b>1999 Kriff &amp; Zipsner VB 180RL (1800 x 1300 mm)</b> Maximum Sheet Size: 1800 x 1300 mm Maximum Pile Height 1800 mm Vibration Air Blast Jogging

## Saddlestitchers

Reference	Machine Description
9599	<b>2005 Heidelberg ST 100</b> Speed Max. 9000 cycles pro hour Minimum Book Size: 89mm x 120mm Maximum Book Size: 305mm x 349mm Product thickness max. 10 mm 2 x Vertical Double...
9549	<b>1997 Müller Martini Presto</b> 4 stations+ Handfeeder Coverfeeder 4x stitching heads Trimmer Belt delivery
9510	<b>1997 Müller Martini Presto</b> 8 Feeders Cover Feeder Presto Stching unit 4 Stitching Heads Three Knife Trimmer Shingle Delivery
9466	<b>2008 Müller Martini Presto</b> 6 Feeders with Cover Feeder 3 x 2 1559 Feeders Handfeeder Cover Feeder 1528 Stching unit 1550 3 Knife Trimmer 1522 Belt Delivery
9668	<b>2004 Müller Martini Presto 1550</b> 6 (3 x 1551 twin feeders) + Double Hand Feed 1528 Cover feeder 2 x HK75 Stitching heads 1522 Trimmer Apollo stacker
9686	<b>2001 Müller Martini Prima Amrys</b> 8 Station gathering track with universal bases 7 x 0370 top loading feeders with AMRYS 1528 Cover folder/feeder (A4 landscape capability) Oblique s...
9653	<b>2004 Müller Martini Prima Amrys</b> 6 Station gathering track with universal bases 4 x 0370 top loading feeders with AMRYS 2 x 1529 Cover folder/feeder (A4 landscape capability) Obliq...
9652	<b>2001 Müller Martini Prima Plus Amrys</b> 8 Station gathering track with universal bases 7 x 0370 top loading feeders with AMRYS 1528 Cover folder/feeder (A4 landscape capability) Oblique s...

## Sheetfed components

Reference	Machine Description
-----------	---------------------

**Window Patchers**

Reference	Machine Description
9467	<b>2002 Heiber-Schroeder WP 11 3 M Window Patcher</b> Max. size 1100 mm, Max. Speed 60.000 pieces/hour paper and solid board from 250 g/m <sup>2</sup> up to 800 g/m <sup>2</sup> , F, E- and B-flute up to 5 mm thickness Twin St...
9590	<b>1991 Heiber-Schroeder WP800</b> Single lane window patcher Suction belt stream feeder Gluing unit Film unwind and cutting unit Shingle Delivery Speed: 335 blanks per min below 5...
9343	<b>1988 Kohmann F1010</b> Single or Double Steam
9484	<b>1996 Kohmann F1050/2</b> Twin Stream, Rotary Feeder, Chain Station Film Coating unit Delivery Belt Max blank length 1020 mm Min blank length 100 mm Max blank width 505...
9507	<b>1998 Kohmann F1050/2 Window Patcher</b> Twin Stream, Rotary Feeder, Chain Station Touch screen computer Film Coating unit Delivery Belt Max blank length 1020 mm Min blank length 100 m...
9506	<b>2000 Kohmann F1120 2 Window Patcher</b> Twin Stream Rotary Feeder Chain Station Touch screen computer Film Coating unit Delivery Belt Max blank length 1120 mm Min blank length 100 mm...
9491	<b>2008 Kohmann F1350 - 2 Window Patcher</b> Max carton blank width : 1330 mm Min carton blank width : 80 mm Max window size : 720 x 980 mm Min window size : 50 x 30mm Max speed : 1050 p/min...
9560	<b>2008 XLTC 1020</b> Automatic window patcher Single stream Bottom belt friction feeder with back lifters Chain infeed Vacuum belt transfer from glue unit to film appl...